










Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may have come loose inside the carton during shipment

Please note that the maximum weight load for each hook is 5kgs, and the total weight load cannot exceed 15kgs.


## PART LISTS

NO.	Description	Sketch	Q'ty
A	TOP POST		1PC
B	MIDDLE POST-1		1PC
C	MIDDLE POST-2		1PC
D	BOTTOM POST		1PC
E	BOTTOM CAP		1PC
F	LEG		3PCS
G	HOOK WITH BOLT (125MM)		9PCS
H	HOOK (125MM)		2PCS




It is recommended to install protective pads under all legs and supports to avoid damage or scratches when placing finiture on a wood floor or other hard surface, and to limit indentation and prevent discoloration if placing on carpet.

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may have come loose inside the carton during shipment



It is recommended to install protective pads under all legs and supports to avoid damage or scratches when placing finiture on a wood floor or other hard surface, and to limit indentation and prevent discoloration if placing on carpet.

Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts that may have come loose inside the carton during shipment



It is recommended to install protective pads under all legs and supports to avoid damage or scratches when placing finiture on a wood floor or other hard surface, and to limit indentation and prevent discoloration if placing on carpet.